



FORA

FOR ELECTRICAL INDUSTRIES

DISCOVER THE FORA LIGHTING UNIVERSE



PROFESSIONAL LED LIGHTING SOLUTIONS • 2026



تاريخ من الثقة... ومستقبل من الابتكار

منذ عام ١٩٦٤، تواصل فورا ترسيخ مكانتها كإحدى العلامات المصرية الرائدة في قطاع الصناعات، والمنتجات الكهربائية، مستندةً إلى خبرة تمتد لأكثر من ستة عقود ورؤية تركز على الابتكار، والجودة وبناء علاقات طويلة الأمد مع العملاء.

وعلى مدار هذه المسيرة، نجحت الشركة في مواكبة التطورات المتسارعة في قطاع الكهرباء والإضاءة مع الحفاظ على قيمها الأساسية المتمثلة في الجودة، والاعتمادية وتقديم أفضل قيمة للسوق المصري.

بدأت الشركة نشاطها في مجال تجارة المنتجات الكهربائية، ثم واصلت مسيرة التطور بخطوات ثابتة لتصبح اليوم شركة متكاملة تجمع بين التصنيع، والتجميع، والاستيراد، والتوزيع، مدعومة بخبرة متراكمة وشبكة توزيع واسعة تغطي مختلف أنحاء جمهورية مصر العربية. وقد ساهم هذا التكامل في تعزيز قدرة الشركة على تلبية احتياجات العملاء بسرعة وكفاءة، مع توفير حلول كهربائية متنوعة تناسب مختلف الاستخدامات

وفي إطار التزامها بتقديم منتجات تضاوي المعايير العالمية، تمتلك فورا مصنعاً متخصصاً لإنتاج حلول الإضاءة الليد، إلى جانب خطوط تجميع حديثة للمفاتيح الكهربائية، والمشتريات، وعدد من المنتجات الكهربائية، مع تطبيق أنظمة دقيقة لمراقبة الجودة في جميع مراحل الإنتاج، بدءاً من اختيار المواد الخام وحتى الفحص النهائي للمنتج، لضمان أعلى مستويات الأداء، والاعتمادية، والعمر التشغيلي الطويل

وتقدم فورا اليوم مجموعة متكاملة من الحلول الكهربائية التي تلبي احتياجات المشروعات السكنية، والتجارية، والإدارية، والصناعية، وتشمل منتجات الإضاءة الليد بمختلف أنواعها، والمفاتيح الكهربائية، والأفياش، والبرايز، والقواطع الكهربائية، والمشتريات، والملحقات الكهربائية، مع التركيز على الجودة وكفاءة التشغيل، والتصميم العصري، بما يواكب تطلعات السوق واحتياجات العملاء.

وفي فورا، لا تُعد الجودة مجرد معيار إنتاج، بل هي فلسفة عمل متكاملة تبدأ من دراسة احتياجات السوق، واختيار أفضل المكونات، مروراً بعمليات التصميم، والتصنيع، والتجميع، وانتهاءً بإجراءات الفحص والاختبار الدقيقة قبل وصول المنتج إلى العميل. ومن خلال هذا الالتزام المستمر، تواصل الشركة تقديم منتجات تجمع بين الأداء الموثوق، والتقنيات الحديثة، والقيمة الحقيقية، بما يعزز ثقة العملاء ويؤكد مكانة فورا كشريك يعتمد عليه في تقديم حلول كهربائية متطورة ومستدامة.

كهرباء؟ تبقى فورا



RECESSED ROUND PANEL

ليد بانل / داخلي التثبيت

FEATURES

- Slim recessed design
- Uniform light distribution
- Energy efficient

BENEFITS

- Creates a clean, modern ceiling appearance
- Provides comfortable, glare-free lighting
- Reduces energy consumption with long-lasting performance

ACCORDING TO STANDARD: IEC62612-ES77773 & IEC62560-ES7774 & IEC62504 & ICE61000-3-2



Recommended Usage



SHOWROOMS



RETAIL STORES



MALLS & STORES

RECESSED PANEL / ROUND

ITEM CODE	PRODUCT DESCRIPTION	POWER	CUT SIZE	COLOR TEMPERATURE	LUMEN (LM)	EFFICIENCY (LM/W)	INPUT CURRENT	LIFETIME (HRS)
1123129	LED FIXTURE	07 W	7 CM	WHITE / 7200 K	700 L	100 LM/W	100/250V	25,000
1123130	LED FIXTURE	07 W	7 CM	COOL / 4000 K	700 L	100 LM/W	100/250V	25,000
1123131	LED FIXTURE	07 W	7 CM	3 CCT	700 L	100 LM/W	100/250V	25,000
1123132	LED FIXTURE	12 W	9.5 CM	WHITE / 7200 K	1200 L	100 LM/W	100/250V	25,000
1123133	LED FIXTURE	12 W	9.5 CM	COOL / 4000 K	1200 L	100 LM/W	100/250V	25,000
1123134	LED FIXTURE	18 W	15 CM	WHITE / 7200 K	1800 L	100 LM/W	100/250V	25,000
1123135	LED FIXTURE	18 W	15 CM	COOL / 4000 K	1800 L	100 LM/W	100/250V	25,000
1123101	LED FIXTURE	20 W	15 CM	WHITE / 6500 K	2000 L	100 LM/W	100/250V	25,000
1123102	LED FIXTURE	20 W	15 CM	WARM / 3000 K	2000 L	100 LM/W	100/250V	25,000
1123136	LED FIXTURE	24 W	20 CM	WHITE / 7200 K	2400 L	100 LM/W	100/250V	25,000
1123137	LED FIXTURE	24 W	20 CM	COOL / 4000 K	2400 L	100 LM/W	100/250V	25,000
1123009	LED FIXTURE	30 W	20 CM	WHITE / 6500 K	3000 L	100 LM/W	100/250V	25,000
1123010	LED FIXTURE	30 W	20 CM	WARM / 3000 K	3000 L	100 LM/W	100/250V	25,000





RECESSED SPOTLIGHT

سبوت لايث متحرك / داخلي التثبيت

FEATURES

- Adjustable spotlight head
- Focused illumination
- Energy efficient

BENEFITS

- Direct light exactly where needed
- Ideal for accent and display lighting
- Long-lasting performance with low energy consumption

ACCORDING TO STANDARD: IEC62612-ES77773 & IEC62560-ES7774 & IEC62504 & ICE61000-3-2



LED SPOTLIGHT ADJUSTABLE

Recommended Usage



SHOWROOMS



GALLERIES & SHOWROOM



RETAIL STORES

ITEM CODE	PRODUCT DESCRIPTION	POWER	SIZE	COLOR TEMPERATURE	LUMEN (LM)	EFFICIENCY (LM/W)	INPUT CURRENT	LIFETIME (HRS)
1123001	ADJUSTABLE LED SPOTLIGHT	03 W	5.5 CM	WHITE / 6500 K	300 L	100 LM/W	100/250V	25,000
1123003	ADJUSTABLE LED SPOTLIGHT	07 W	7 CM	WHITE / 6500 K	700 L	100 LM/W	100/250V	25,000
1123004	ADJUSTABLE LED SPOTLIGHT	07 W	7 CM	COOL / 4000 K	700 L	100 LM/W	100/250V	25,000
1123005	ADJUSTABLE LED SPOTLIGHT	09 W	10 CM	WHITE / 6500 K	900 L	100 LM/W	100/250V	25,000
1123007	ADJUSTABLE LED SPOTLIGHT	12 W	12 CM	WHITE / 6500 K	1200 L	100 LM/W	100/250V	25,000
1123008	ADJUSTABLE LED SPOTLIGHT	12 W	12 CM	WARM / 3000 K	1200 L	100 LM/W	100/250V	25,000



 **FORA LED** LIGHTING PRODUCT



DECORATE COB SPOTLIGHT

سبوت لایت سی او بی دیکوری

FEATURES

- High-intensity COB light source
- Focused beam illumination
- Energy efficient

BENEFITS

- Delivers bright, uniform lighting
- Ideal for accent and display lighting
- Long-lasting performance with low maintenance
- Up to 90% energy savings compared to traditional lamps

ACCORDING TO STANDARD: IEC62612-ES77773 & IEC62560-ES7774 & IEC62504 & ICE61000-3-2

02 - MODEL

Recommended Usage



SHOWROOMS



RETAIL STORES



MALLS & STORES

ITEM CODE	PRODUCT DESCRIPTION	POWER	SIZE	COLOR TEMPERATURE	LUMEN (LM)	EFFICIENCY (LM/W)	INPUT CURRENT	LIFETIME (HRS)
11240083	COB SPOTLIGHT	30 W	20 CM	WHITE / 6500 K	3000 L	100 LM/W	100/250V	25,000
11240085	COB SPOTLIGHT	30 W	20 CM	WARM / 3000 K	3000 L	100 LM/W	100/250V	25,000
11240098	COB SPOTLIGHT	30 W	20 CM	3 CCT	3000 L	100 LM/W	100/250V	25,000

AVAILABLE IN COLORS



ITEM CODE	PRODUCT DESCRIPTION	POWER	SIZE	COLOR TEMPERATURE	LUMEN (LM)	EFFICIENCY (LM/W)	INPUT CURRENT	LIFETIME (HRS)
11240094	COB SPOTLIGHT	40 W	20 CM	WHITE / 6500 K	4000 L	100 LM/W	100/250V	25,000
11240096	COB SPOTLIGHT	40 W	20 CM	WARM / 3000 K	4000 L	100 LM/W	100/250V	25,000
11240100	COB SPOTLIGHT	40 W	20 CM	3 CCT	4000 L	100 LM/W	100/250V	25,000

AVAILABLE IN COLORS







COB SPOTLIGHT

سبوت لایت سی او بی

FEATURES

- High-intensity COB light source
- Focused beam illumination
- Energy efficient

BENEFITS

- Delivers bright, uniform lighting
- Ideal for accent and display lighting
- Long-lasting performance with low maintenance
- Up to 90% energy savings compared to traditional lamps

ACCORDING TO STANDARD: IEC62612-ES77773 & IEC62560-ES7774 & IEC62504 & ICE61000-3-2

05 - MODEL

Recommended Usage



SHOWROOMS



RETAIL STORES



MALLS & STORES

ITEM CODE	PRODUCT DESCRIPTION	POWER	SIZE	COLOR TEMPERATURE	LUMEN (LM)	EFFICIENCY (LM/W)	INPUT CURRENT	LIFETIME (HRS)
1123052	COB SPOTLIGHT	30 W	20 CM	WHITE / 6500 K	3000 L	100 LM/W	100/250V	25,000
1123054	COB SPOTLIGHT	30 W	20 CM	WARM / 3000 K	3000 L	100 LM/W	100/250V	25,000
1123151	COB SPOTLIGHT	30 W	20 CM	3 CCT	3000 L	100 LM/W	100/250V	25,000





LED PLAFONIERA | بلفونية ليد

FEATURES

- 4CCT selectable color temperatures
- Wide light distribution
- Energy efficient

BENEFITS

- Choose the ideal light color for any space
- Provides uniform, comfortable illumination
- Easy installation
- Long-lasting performance with reduced energy consumption

ACCORDING TO STANDARD: IEC62612-ES77773 & IEC62560-ES7774 & IEC62504 & ICE61000-3-2



ROUNDED MODEL / SURFACE

Recommended Usage



ITEM CODE	PRODUCT DESCRIPTION	POWER	COLOR TEMPERATURE	LUMEN (LM)	EFFICIENCY (LM/W)	INPUT CURRENT	LIFETIME (HRS)
11240173	PLAFONIERA LED	36 W	WHITE / 6500 K	3600 L	100 LM/W	100/250V	25,000
11240174	PLAFONIERA LED	36 W	4 CCT	3600 L	100 LM/W	100/250V	25,000
11240175	PLAFONIERA LED	50 W	WHITE / 6500 K	5000 L	100 LM/W	100/250V	25,000
11240176	PLAFONIERA LED	50 W	4 CCT	5000 L	100 LM/W	100/250V	25,000

ROUNDED MODEL / RECESSED

Recommended Usage




ITEM CODE	PRODUCT DESCRIPTION	POWER	COLOR TEMPERATURE	LUMEN (LM)	EFFICIENCY (LM/W)	INPUT CURRENT	LIFETIME (HRS)
11240168	PLAFONIERA LED	9 W	4 CCT	900 L	100 LM/W	100/250V	25,000
11240169	PLAFONIERA LED	36 W	WHITE / 6500 K	3600 L	100 LM/W	100/250V	25,000
11240170	PLAFONIERA LED	36 W	4 CCT	5000 L	100 LM/W	100/250V	25,000

SQUARE MODEL / RECESSED

Recommended Usage



ITEM CODE	PRODUCT DESCRIPTION	POWER	COLOR TEMPERATURE	LUMEN (LM)	EFFICIENCY (LM/W)	INPUT CURRENT	LIFETIME (HRS)
11240171	PLAFONIERA LED	36 W	WHITE / 6500 K	3600 L	100 LM/W	100/250V	25,000
11240172	PLAFONIERA LED	36 W	WHITE / 3000 K	3600 L	100 LM/W	100/250V	25,000





SCAN TO FOLLOW US